

## Fittings / Downlights


# Firestay 7W LED 3 Way CCT Dimmable Fixed Downlight - 60° Beam



The Firestay LED CCT 3 way colour switch downlight is one of our flagship products. Colour selectable as standard with a 7 year guarantee, the Firestay LED CCT downlight is a market leader when it comes to downlights. The front facing switch enables the user to seamlessly change the colour temperature to suit the mood of any space.

- Firestay Certification: 30, 60 and 90 minute solid joist ceilings, 30 minute I-Joist & Metal Web ceiling systems.
- 6 in 1 Fixture, 3 colour temperatures, 2 bezels.
- Includes satin & white magnetic bezels.
- Front CCT switch.
- IC rated.

## Technical Specification



<b>Product Code</b>	08186
---------------------	-------

### Reference

<b>Guarantee</b>	7 Years
<b>EAN</b>	5013588081861
<b>Commodity Code</b>	9405409990
<b>Country of Origin</b>	CN
<b>UNSPSC Code</b>	39111515

## Technical Specification

Watts (W)	7
Volts (V)	220/240
Colour Temp (K)	3000/4000/6000
Lumens (lm)	550-600
Lumens per Watt (lm/W)	79-86
Candelas (cd)	370
CRI (ra)	85
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	7
Life Hours	50000
Switching Cycles	10000
Energy Rating	F
Impact Protection	IK7
IP Rating	IP65
Dimmable?	Yes

## Dimensions

Width (mm)	63
Depth (mm)	72
Diameter (mm)	82
Downlight Cut Out (mm)	65

Diameter (mm)	82
Downlight Cut Out (mm)	65
Individual Product Weight (kg)	0.26
Single Carton Height (mm)	97
Single Carton Width (mm)	97
Single Carton Depth (mm)	90
Single Carton Weight (kg)	0.3
Individual Volume	0.00085
Inner Box Qty	10
Inner Box Height (mm)	506
Inner Box Width (mm)	206
Inner Box Depth (mm)	101
Inner Box Weight (kg)	3.5
Inner Box Volume	0.01053
Outer Box Qty	20
Outer Box Height (mm)	530
Outer Box Width (mm)	230
Outer Box Depth (mm)	240
Outer Box Weight (kg)	7.34
Outer Box Volume	0.02926
Plastic Packaging Weight (kg)	0.04